SDS ESLON KATSUZAI No.1 1/3page

Implementation: Oct. 1, 2013 Issue date: Jun. 1, 2024

SAFETY DATA SHEET

1. Product and company (manufacturer) identification

ESLON KATSUZAI No.1 **Product:** Manufacturer: Sekisui Chemical Co., Ltd.

> Address: Toranomon 2-10-4, Minato-ku, Tokyo 105-8566

Urban Infrastructure & Environmental Products Company Responsible section:

Pipe Systems Division Telephone: +81-3-6748-6492 Urgent telephone: +81-3-6748-6492 +81-3-6748-6564 Fax: Urgent contact: Same as above

Recommended use of the chemical and restrictions

Lubricant for polyvinyl chloride piping system (Do not use for waterworks.)

Other applications are prohibited.

Document number: KA-01

2. Hazards identification **GHS Classification**

on use:

Physicochemical hazards: Not Classified Health hazards: Not Classified

Label elements

Pictogram or symbol: No symbol Signal word: No signal word Hazard statement: No hazard statement Precautionary statement: Not applicable

3. Composition/information on ingredients

Nature of composition:

Lubricant of natural vegetable oil Chemical or common name:

Component	Content	CAS Number	Reference Number in Gazetted List in Japan	Others
Castor oil	85 to 94 %	8001-79-4	_	
Glycerol	1 to 10 %	56-81-5	(2)-242	
Amorphous silica	1 to 10 %	112945-52-5	(1)-548	

XThe content is listed as a range as it is confidential information.

4. First-aid measures

If vapor is inhaled: Take the affected person to a clean-air space and give him rest in a easy-

breathing pose. Seek physician's counsel as may be needed.

If attached to skin: Wash the local skin immediately. Take off the contaminated clothing's for

cleaning. Seek physicians counsel if he suffers from irritation or drowsiness.

If gets in eye: Thoroughly wash the eye with clean water for a several minutes. Remove

contact lens if easily removable. Continue washing after removal. Seek

physician's counsel.

If swallowed: Immediately wash the mouth with water. Immediately seek physician's counsel.

Do not compel the victim to vomit.

Special note to physician: No information

5. Fire-fighting measures

Extinguishing agents: Carbon dioxide, powder agent, foam agent

Prohibited extinguishing agent: Water flux

Proper extinguishing method: Remove surrounding combustibles and use extinguishing agents.

Use foam agent to choke a large scale fire.

Spray water over the neighborhood to cool and prevent fire spread. Fight against fire standing to its windward as much as possible and wear

breathing aid if necessary.

6. Accidental release measures

Health hazard precaution, protective wear and first-

aid:

Workers should use protective wears (See Chapter 8) to prevent contact with the spilt adhesive and inhalation of its vapor. Rope off the crowd from the leak spot. Work from the windward and evacuate the leeward crowd. In case of indoor leakage, ventilate as much as possible until the cleaning is completed.

Prevent flow out to rivers, etc. so as not to badly affect the environment. Environmental hazard precaution:

Recovery and neutralization: Use absorbent (sawdust, dirt, sand, waste rug) to remove most of the spill and

wipe off the rest using waste rug.

Prevention of secondary casualty: Quickly remove all the combustibles from around the leak spot and provide

extinguishers ready for use.

Handling

Technical measures: Use personal protective equipment as required.

Local & total ventilation: Handling work must be practiced in a room where local or total ventilation

facility is functioning.

Safe handling: Ban of high temperature substance, sparking and fire at nearby points.

Prohibition of eating, drinking and smoking while the product is used.

Wash hands well after handling.

Avoid contact of the product with eye, skin and clothing.

Handle it only after reading and understanding all the precautions. Use the product only in a well ventilated room or outdoors.

Storage

Store in a remote room from heat, sparks and naked flame. No smoking in the Storing conditions:

storage room. Store in a cool, ventilated room.

8. Exposure controls and personal protection

Equipment disposal: Use in a well-ventilated area. Set up eye washing devices and hand wash

station in a handling area.

Standard control concentration: Not reported Threshold limit value: Not reported

Individual protection measurer

Respiratory protection: None under normal conditions.

Hand protection: Impermeable gloves Eye protection: Safety glasses

Skin protection: Long-sleeve fatigue uniform

Sanitary disposal: Wash hands thoroughly after handling.

9. Physical and chemical properties

Color:

Physical state, form: **Paste**

Odor: Melting point/freezing point:

Bp, initial bp & boiling range: Flammability: Evaporation rate: Flash point: Auto ignition point:

Decomposition temperature:

pH: Dynamic viscosity: Solubilities:

n-Octanol/water partition coefficient: (log Pow)

Vapor pressure:

Specific gravity (density): Vapor density:

Particle characteristics:

Non-volatile content:

Light vellow, translucent

Oil and fat smell

No data available No data available Flammable No data available ca. 160°C ca. 370°C No data available Not applicable No data available Insoluble in water No data available No data available ca. 1.0 (20°C) No data available

No data available ca. 95%

10. Stability and reactivity

Stability: Stable under normal handling conditions. Chemical stability: Stable under normal handling conditions. Possibility of hazardous reactions: Stable under normal handling conditions. Incompatible materials: Heats up by contacting with alkali.

Hazardous decomposition products: Combustion generates carbon monoxide and carbon dioxide.

11. Hazard information

Acute toxicity (oral) LD50>5000mg/kg, Not classified

No data available Acute toxicity (dermal) Acute toxicity (inhalation: gas) No data available Acute toxicity (inhalation: vapor) No data available Acute toxicity (inhalation: dust and mist) No data available Skin corrosion/irritation No data available Eye damage/irritation No data available Respiratory sensitization No data available Skin sensitization No data available No data available Germ cell mutagenicity Carcinogenicity No data available Reproductive toxicity No data available No data available Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure) No data available Aspiration hazard No data available

12. Ecological information

Hazard to the aquatic environment (Acute hazard):

Cannot be classified due to lack of data

Hazard to the aquatic environment (Long-term

hazard):

Cannot be classified due to lack of data

Ecotoxicity: Persistence/degradability: No information No information

Ecological accumulative property: No information Mobility in soil: No information

Hazard to the ozone layer: Does not contain any ingredient listed in the Annexes to the Montreal Protocol.

Classification not possible.

13. Notes on disposal

Residual & waste: In the disposal of residual and other wastes, observe the relevant laws

/regulations and local government rules.

Users of the product should contract with the local government or licensed

'Industrial Waste Processors' for disposal of waste.

It is important to let the contractor know well of fire and health hazards of the

product, prior to disposal.

Contaminated containers & packages: Clean the containers for reuse or dispose them properly in accordance with

> relevant regulations and local government rules. Completely empty containers prior to disposal.

14. Transport information

International rule

UN number: Not applicable UN classification: Not applicable Packing group: Not applicable

Land transportation: Accordance with Fire Service Act/Industrial Safety and Health Act and so forth.

Marine transportation: Accordance with Law for Safety of Vessels. Accordance with Civil Aeronautics Act. Air transportation:

Sea Pollution Prevention Act Harmful liquid material

The enforcement order separate table first; Z Group

(Glycerol)

However, it is not applicable when net weight in one container is 5L or less. Measure for safety: Ensure no leakage before loading. Do not tumble, drop and crash the package

during loading.

15. Regulatory information

Labor Safety and Hygiene Law: Hazardous materials to be notified to the authority (Chapter 57, Section 2)

(Not applicable)

Hazardous materials to be posted (Chapter 18 of Ordinance)

(Not applicable)

2nd class organic solvents (Solvent Addiction Prevention Rule, Clause 1.1.4)

(Not applicable)

Carcinogenicity of chemical substances

(Ordinance on Industrial Safety and Health Chapter 34, Section 2-4)

(Not applicable)

Chemical substances that cause skin and other skin disorders

(related to Article 22 of the Law).

(Not applicable)

Fire Defense Law: Designated combustible material, Synthetic resins, 3000kg over. Not applicable

PRTR Law: Poisonous & Deleterious Substance Control Law:

Sea Pollution Prevention Act

Not applicable Harmful liquid material

The enforcement order separate table first; Z Group

(Glycerol)

However, it is not applicable when net weight in one container is 5L or less.

16. Other information

Literature:

- 1) Chemicals Safety Data Sheet (MSDS) Part 1: Content and Order of Items
- 2) Guideline for MSDS Edition (Revised Edition) by Japan Chem. Ind. Assoc.
- 3) GHS Classification Database, Site of National Institute of Technology and Evaluation
- 4) Hazard Handbook of Chemicals by Japan Industrial Safety and Health Association
- 5) Hazard communication of chemicals based on GHS-Labelling and Safety Data Sheet (SDS) JIS

Z 7253:2019

This data sheet is edited by referring to currently available information, however, it is not intended to guarantee the data values or the precision of contained information. The precautions mentioned above are for ordinary handling and use only therefore please handle with care by implementing appropriate safety measures for new application and usage.